

BENIGN SKIN LESIONS

PRIOR APPROVAL (PA) & EVIDENCE BASED INTERVENTIONS (EBI) POLICY

Version:	2223.v5c
Recommendation by:	NHS Somerset ICB Clinical Commissioning Policy Forum (CCPF)
Date Ratified:	March 2021
Name of Originator/Author:	EBI Service
Approved by Responsible Committee/Individual:	NHS Somerset ICB Clinical Executive Committee (CEC)
Publication/issue date:	May 2021
Review date:	Earliest of either NICE publication or 3 years from issue
Target audience:	<p>NHS Somerset ICB:</p> <ul style="list-style-type: none"> • NHS Providers • GP Practices • Contracts Team <p>Medical Directors:</p> <ul style="list-style-type: none"> • Somerset Foundation Trust • Yeovil District Hospital NHS FT • Royal United Hospitals Bath NHS FT
Application Form	Prior Approval Form

**BENIGN SKIN LESIONS POLICY
PRIOR APPROVAL (PA) & EVIDENCE BASED INTERVENTIONS (EBI)**

Section	CONTENTS	Page
	Version Control	1-2
1	General Principles	3
2	Policy Criteria	4-5
3	POLICY Criteria to Access Treatment - Prior Approval	5
4	POLICY Criteria to Access Treatment - EBI	5
5	Evidence Based Interventions Application Process	6
6	Access To Policy	7
7	References	7

VERSION CONTROL

Document Status:	Current policy
Version:	2223.v5c

DOCUMENT CHANGE HISTORY		
Version	Date	Comments
2012.v1	2012	CBA Policy removed from Guidance for Clinicians Policy Document to an individual policy document.
1516.v2a	March 2016	No longer routinely commissioned
1516.v3	March 2017	Change of policy template SWCSU to SCCG; Ganglion Aspiration not commissioned
1516.v.3	December 2018	IFR amendment to PA, inclusion of internal skin lesions, amendment to layout
1819.v4	March 2019	'Regard' to Section 14Z8 of the NHS Act 2006. IFR replaced with EBI name change
1819.v4a	March 2021	3 year review/no amendments to clinical criteria, additional inclusion of conditions not within remit of this policy 3.5
2021.v5	February 2022	Correction to reference to EBI application process
2021.v5a	July 2022	Amendment from SCCG to NHS Somerset ICB. New PALS email address
2223.v5b	November 2022	Update to aspiration treatment following CCPF October 2022

Equality Impact Assessment EIA	March 2016
Quality Impact Assessment QIA	October 2018
Sponsoring Director:	Bernie Marden
Document Reference:	2223.v5c

1 GENERAL PRINCIPLES

- 1.1 Funding approval must be secured by primary care/secondary care/ community care prior to referring/treating patients for this prior approval treatment
- 1.2 Funding approval must be secured prior to a referral for an assessment/surgery. Referring patients without funding approval secured not only incurs significant costs in out-patient appointments for patients that may not qualify for surgery, but inappropriately raises the patient's expectation of treatment
- 1.3 On limited occasions, we may approve funding for an assessment only in order to confirm or obtain evidence demonstrating whether a patient meets the criteria for funding. In such cases, patients should be made aware that the assessment does not mean that they will be provided with surgery and surgery will only be provided where it can be demonstrated that the patients meets the criteria to access treatment in this policy
- 1.4 Funding approval will only be given where there is evidence that the treatment requested is effective and the patient has the potential to benefit from the proposed treatment. Where it is demonstrated that patients have previously been provided with the treatment with limited or diminishing benefit, funding approval is unlikely to be agreed
- 1.5 Receiving funding approval does not confirm that they will receive treatment or surgery for a condition as a consent discussion will need to be undertaken with a clinician prior to treatment
- 1.6 The policy does not apply to patients with suspected malignancy who should continue to be referred under 2 week wait pathway rules for assessment and testing as appropriate
- 1.7 Patients with an elevated BMI of 30 or more may experience more post-surgical complications including post-surgical wound infection so should be encouraged to lose weight further prior to seeking surgery.
<https://www.sciencedirect.com/science/article/pii/S1198743X15007193>
(Thelwall, 2015)
- 1.8 Patients who are smokers should be referred to smoking cessation services in order to reduce the risk of surgery and improve healing
- 1.9 Where prior approval funding is secured by the EBI service it will be available for a specified period of time, normally one year

2 POLICY CRITERIA

2.1 Where there is a clinical concern of features suspicious of dysplasia /malignancy a referral through the local 2WW pathway should be made

2.2 Where patients have been referred within the local 2-week pathway and are subsequently cleared of any clinical concern, further surgery/treatment to the lesion is not routinely commissioned. An EBI application may be put forward for consideration (refer to item 5)

2.3 Any excision removed to be sent for histology

2.4 This policy relates to all treatments proposed in secondary/community care including all forms of surgical excision, laser treatment and cryotherapy

2.5 The lesions detailed below **do not fall within the remit of this BSL policy**. Where evidence of a clinical need for surgery/treatment is within the clinical records NHS treatment would be commissioned:

- Fibroadenomas of breast
- Thyroglossal cysts
- Scrotal epididymal cyst (testicular)
- Genital warts
- Bartholin's cyst
- Pyogenic granuloma
- Pilonidal sinus
- Dermatological conditions
 - Eczema
 - Psoriasis
 - Lichen Sclerosus

NHS Somerset ICB does not commission:

2.6 Surgery is not commissioned to any Benign Skin Lesion(s) due to the cosmetic appearance to:

- improve appearance
- sunbath
- swim
- take part in recreational activities

2.7 This policy refers to **all benign skin lesions** on the body including those which are cutaneous, subcutaneous and within the mouth or other orifices such as the ear canal or genitals including (but not exclusively):

- Accessory Auricle Tag
- Actinic Keratosis
- Perineal or Vulvar Cysts
- Chalazion
- Cherry angiomas or Campbell de Morgan spots
- Cold sores/Herpes Simplex Virus
- Comedones (black/white heads)
- Corn/Callus
- Lipomas (lipomata) (fat deposits underneath the skin)
- Moles (benign pigmented naevi)
- Nasal Polyps
- Molluscum contagiosum
- Ostraceous psoriasis
- Rheumatoid Nodules
- Seborrhic Keratosis
- Skin tags
- Spider naevi

- Cysts ('sebaceous' Cysts, pilar and epidermoid cysts)
- Dermatofibromas (skin growths)
- Ganglion
- Hypertrophic lichen planus
- Thread veins
- Xanthelasma (cholesterol deposits underneath the skin)
- Warts - Viral /Plantar

2.8 NHS Somerset will commission the following intervention for Ganglion or Mucus cyst:

- One aspiration/puncture with or without local anaesthetic as an outpatient procedure only if causing pain, tingling/numbness or clinical concern but not for cosmetic reasons. Patients should be informed that repeat aspiration/puncture of recurrent ganglion at the same site will not be routinely commissioned.

2.9 Patients who are not eligible for treatment under this policy, please refer to Item 5 EVIDENCE BASED INTERVENTIONS APPLICATION PROCESS on how to apply for funding with evidence of clinical exceptionality

3 Benign Skin Lesion with infections POLICY Criteria to Access Treatment – PRIOR APPROVAL

3.1 Prior Approval funding can be sought for treatment where there is documented evidence recorded in the Primary Care Records of infected lesion(s) as detailed below;

- a) 3 or more infections treated with antibiotics in the previous 12 months (evidence to be provided with the PA form) **OR**
- b) infected lesion(s) having to be incised and drained in secondary care as an urgent/emergency case in the preceding 6 months

3.2 Patients who are not eligible for treatment under this policy, please refer to Item 5 EVIDENCE BASED INTERVENTIONS APPLICATION PROCESS on how to apply for funding with evidence of clinical exceptionality

4 Benign Skin Lesion without infections POLICY Criteria to Access Treatment - EBI

Patients who are not eligible for treatment under this policy, please refer to Item 5 EVIDENCE BASED INTERVENTIONS APPLICATION PROCESS on how to apply for funding with evidence of clinical exceptionality

5 EVIDENCE BASED INTERVENTIONS APPLICATION PROCESS

- 5.1 Patients who are not eligible for treatment under this policy may be considered on an individual basis where their GP or Consultant believes clinical exceptional circumstances exist that warrant deviation from the rule of this policy
- 5.2 Completion of a **Generic EBI Application Form** by a patient's GP or Consultant is required
- 5.3 Applications cannot be considered from patients personally
- 5.4 Only electronically completed EBI applications will be accepted to the EBI Service
- 5.5 It is expected that clinicians will have ensured that the patient, on behalf of who they are forwarding the application for, is appropriately informed about the existing policies prior to an application to the EBI Panel. This will reassure the Panel that the patient has a reasonable expectation of the outcome of the application and its context
- 5.6 EBI applications are reviewed and considered against clinical exceptionality
- 5.7 For further information on 'clinical exceptionality' please refer to the NHS England information using the link below page 9-13;
 - <https://www.england.nhs.uk/wp-content/uploads/2017/11/comm-policy-individual-funding-requests.pdf>
- 5.8 Social, Emotional and Environmental factors *i.e. income, housing, environmental pollution, access to services, family, friends, ethnicity, life experiences etc.* CANNOT be considered with an application
- 5.9 Where appropriate photographic supporting evidence can be forwarded with the application form
- 5.10 An application put forward for consideration must demonstrate some unusual or unique clinical factor about the patient that suggests they are exceptional as defined below:
 - Significantly different to the general population of patients with the condition in question
 - Likely to gain significantly more benefit from the intervention than might be expected from the average patient with the condition

6 ACCESS TO POLICY

- 6.1 If you would like further copies of this policy or need it in another format, such as Braille or another language, please contact the Patient Advice and Liaison Service on Telephone number: 08000 851067
- 6.2 **Or write to us:** NHS Somerset ICB, Freepost RRKL-XKSC-ACSG, Yeovil, Somerset, BA22 8HR or **Email us:** somicb.pals@nhs.net

7 REFERENCES

The following sources have been considered when drafting this policy:

- 7.1 NHS Choices
<http://www.nhs.uk/conditions/lumps-swellings/Pages/Introduction.aspx>
<https://www.nhs.uk/conditions/nasal-polyyps/>
- 7.2 BNSSG Clinical Commissioning Group
- 7.3 National Rheumatoid Arthritis Society
<https://www.nras.org.uk/rheumatoid-nodules>
- 7.4 British Association of Dermatologists - BAD Patient Information Leaflets
[British Association of Dermatologists - Patient Information Leaflets \(PILs\) \(bad.org.uk\)](http://www.bad.org.uk)
- 7.5 NICE. (2010, May). Improving outcomes for people with skin tumours including melanoma (update) - The management of low-risk basal cell carcinomas in the community. Retrieved May 12, 2016, from NICE: <https://www.nice.org.uk/guidance/csg8/resources/improving-outcomes-for-people-with-skin-tumours-including-melanoma-2010-partial-update-773380189>
- 7.6 NHS England EBI List 1 wrist ganglion
[NHS England » Evidence-Based Interventions Programme Home - aomrcebi](#)