



5 DAYS FOR 5 INFECTIONS (ADULTS)



Sore Throat (if antibiotic indicated) Phenoxymethylpenicillin 500mg four times a day for 5 days for symptomatic cure **OR** clarithromycin 250mg to 500mg twice a day for 5 days **OR** erythromycin 250mg to 500mg four times a day for 5 days



COPD (acute infective exacerbation) Amoxicillin 500mg three times a day for 5 days **OR** doxycycline 200mg day 1 and then 100mg daily on days 2-5 **OR** clarithromycin 500mg twice a day for 5 days



Acute Cough (if antibiotic indicated) Doxycycline 200mg day 1 then 100mg daily on days 2-5 **OR** amoxicillin 500mg three times a day for 5 days **OR** clarithromycin 250mg to 500mg twice a day for 5 days **OR** erythromycin 250mg to 500mg four times a day or 500mg to 1g twice a day for 5 days



Community Acquired Pneumonia Amoxicillin 500mg to 1g three times a day for 5 days **OR** doxycycline 200mg on day 1, then 100mg daily on days 2-5 **OR** clarithromycin 500mg twice a day for 5 days **OR** erythromycin (in pregnancy) 500mg four times a day for 5 days



Acute Sinusitis (if antibiotic indicated) Phenoxymethylpenicillin 500mg four times a day for 5 days **OR** if systemically very unwell co-amoxiclav 500/125mg 1 three times a day for 5 days **OR** for penicillin allergy doxycycline 200mg on day 1, then 100mg daily on days 2-5 **OR** clarithromycin 500mg twice a day for 5 days **OR** erythromycin (in pregnancy) 500mg four times a day for 5 days

