SEPSIS SCREENING TOOL TELEPHONE TRIAGE

AGE 12-15

ARE THERE CLUES THAT THIS YOUNG PERSON MAY BE SERIOUSLY ILL?

RISK FACTORS FOR SEPSIS INCLUDE:

Impaired immunity (e.g. diabetes, steroids, chemotherapy)	Indwelling

☐ Recent trauma / surgery / invasive procedure☐ Indwelling lines / IVDU / broken skin

02 COULD THIS BE DUE TO AN INFECTION?

LIKELY SOURCE:

 \square $\Delta \sigma \rho > 75$

Respiratory
Brain

Urine
Surgical

Skin / joint / wound
Other

YES

NO

☐ Indwelling device

SEPSIS UNLIKELY, CONSIDER OTHER

DIAGNOSIS

03 ANY RED FLAG PRESENT?

Objective evidence of new or altered mental state

☐ Unable to stand / collapsed

Unable to catch breath / barely able to speak

Very fast breathing

Skin that is very pale, mottled, ashen or blue

Rash that doesn't fade when pressed firmly

Recent chemotherapy

Not passed urine in previous 18 hours

RED FLAG SEPSIS START BUNDLE

ANY AMBER FLAG PRESENT?

IF IMMUNITY IMPAIRED TREAT AS RED FLAG SEPSIS

Behavioural change / reduced activity

Immunosuppressed

Trauma / surgery / procedure in last 8 weeks

Breathing harder work than normal

Reduced urine output

] Temperature <36°C

Signs of wound infection

☐ Not passed urine in previous 12-18 hours

FURTHER INFORMATION AND REVIEW REQUIRED:

- ARRANGE URGENT FACE-TO FACE ASSESSMENT USING CLINICAL JUDGEMENT TO DETERMINE APPROPRIATE CLINICAL ENVIRONMENT

NO AMBER FLAGS: ROUTINE CARE AND GIVE NETTING SAFETY ADVICE

CALL 111 IF CONDITION CHANGES OR DETERIORATES.
SIGNPOST TO AVAILABLE RESOURCES AS APPROPRIATE



Slurred speech or confusion
Extreme shivering or muscle pain
Passing no urine (in a day)
Severe breathlessness
'I feel I might die'
Skin mottled, ashen, blue or very pale

TELEPHONE TRIAGE BUNDLE:

THIS IS TIME-CRITICAL - IMMEDIATE ACTION REQUIRED: DIAL 999

AND ARRANGE BLUE LIGHT TRANSFER

COMMUNICATION: Ensure communication of 'Red Flag Sepsis' to crew. Advise crew to pre-alert as 'Red Flag Sepsis'.

